



Enviro Science Technologies

ENVIRO SEAL 707: WATER BASE (Item No. B-118)

Enviro Seal 707 is a water-based alkylalkoxysilane penetrating water repellent. It is designed specifically for brick masonry, limestone, pre-cast, and concrete surfaces, including blocks where darkening is unacceptable.

Enviro Seal 707 reduces bonding of airborne hydrocarbons, reduces water damage from freeze-thaw, protects against efflorescence, and has excellent ultraviolet resistance; it is VOC (Volatile Organic Compound) compliant as well.

Applications:

- Protect all non-masonry surfaces.
- Treated surface should be free of dirt, grease, moisture, etc.
- New concrete should be allowed to cure at least 14 days before application.
- Product may be applied with low-pressure spray equipment, a brush, or a roller.
- When using low-pressure equipment, apply a light mist coating to break the surface tension; this allows for good penetration. Repeat the process with flood coat (4 to 6 inches run down).

Note:

- Air and surface temperature must be above 40° F during application.
- Caulking should be installed prior to application.
- Protect surrounding non-masonry surfaces, such as glass, aluminum, etc.
- Inadvertent splash should be removed with water before the solution has dried on the surface.
- Do not apply when rain is predicted with 24 hours.

Coverage:

- Brick Masonry: Approximately 150 - 200 square feet/gallon.
- Limestone: Approximately 100 - 150 square feet/gallon.
- Smooth (precast): Approximately 100 - 125 square feet/gallon.
- Rough Exposed Aggregate: Approximately 80 - 125 square feet/gallon.
- Block (high density): Approximately 75 - 100 square feet/gallon.
- Block (low density): Approximately 50 - 75 square feet/gallon.

HMIS Ratings:

- Health: 1
- Reactivity: 0
- Flammability: 0
- Personal Protection: 1

Caution: DO NOT alter the material as supplied. Store at room temperature (68° F).

Guarantee/Warranty/Liability: EST, Inc. has no control over the storage, handling, or use of this product.

The guarantee is limited to the purchase price of the defective material only.

KEEP OUT OF REACH OF CHILDREN!